	Туре	Hits	Search Text	DBs	
	••				
1	BRS	195	with (trac\$7 not track\$6)	USPAT; US-PGPUB	
2	BRS	18		USPAT; US-PGPUB	
3	IS&R	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPAT; US-PGPUB	
4	IS&R	1	!("5979709") DN	USPAT; US-PGPUB	
5	IS&R	0	("((trac\$7nottrack\$6))with datawithoutstanding)").PN.		
6	BRS	1	((trac\$7 not track\$6) with data with outstanding)	USPAT; US-PGPUB	
7	BRS	297	data near outstanding	USPAT; US-PGPUB	
8	BRS	584	data near2 outstanding	USPAT; US-PGPUB	
9	BRS	552	(data near2 outstanding) and indicat\$7	USPAT; US-PGPUB	
10	BRS	72	(data near2 outstanding) with indicat\$7	USPAT; US-PGPUB	
11	BRS	0	(data near2 outstanding) with indicat\$7 with instruction1	USPAT; US-PGPUB	
12	BRS	7	(data near2 outstanding) with indicat\$7 with instruction\$1	USPAT; US-PGPUB	
13	BRS	1374	compress\$7 with trace	USPAT; US-PGPUB	
14	BRS	15095	(compress\$7 with trace) amd 717/\$.ccls.	USPAT; US-PGPUB	
15	BRS	17	(compress\$7 with trace) and 717/\$.ccls.	USPAT; US-PGPUB	
16	BRS	59	compress\$7 with trace with select\$7	USPAT; US-PGPUB	
17.	BRS	1483	compress\$7 with select\$7 with small\$7	USPAT; US-PGPUB	
18	BRS	19	compress\$7 with select\$7 with small\$7 with algorithm\$1	USPAT; US-PGPUB	

	Туре	Hits	Search Text	DBs
19	BRS	4986	compress\$7 with select\$7 with least	USPAT; US-PGPUB
20	BRS	184	compress\$7 with select\$7 with least with bit\$5	USPAT; US-PGPUB
21	BRS	184	compress\$7 with select\$7 with least with bit\$5	USPAT; US-PGPUB
22	BRS	131	compress\$7 with select\$7 with least with bit\$5	USPAT
23	BRS	495	compress\$7 with select\$7 with algorithm\$1	USPAT
24	BRS	868	(compress\$7 near (method\$1 or algorithm\$1)) with select\$7	USPAT
25	BRS	12	(compress\$7 near (method\$1 or algorithm\$1)) with select\$7 and 717/\$.ccls.	
26	BRS	43	(compress\$7 near (method\$1 or algorithm\$1)) same (select\$7 with best)	USPAT

	Туре	L #	Hits	Search Text	DBs	Time Stamp	Commen ts
1	BRS	L1	27	(compar\$4 with compress\$4 with (least or small\$4) near2 bit\$3)	USPA T; EPO; JPO; DERW ENT; IBM_ TDB	2003/11/ 17 15:26	